640-2321

MATERIAL SAFETY DATA SHEET

TECH SPRAY

PO BOX 949 Amarillo, Texas 79105

Emergency Phone: 806-372-8523

Faxback Doc. # 2942

Product Name: Radio Shack Component Cooler
Number: 64-2321

Hazardous Description: Compressed Gas N.O.S. Non-Flammable Gas UN1956 (For Shipping Purposes Only)

Hazard Rating **Health:** 1 **Fire:** 0 **Reactivity:** 1
0-Least 1-Slight 2-Moderate 3-High 4-Extreme

I - HAZARDOUS COMPONENTS

Ingredient	CAS No.	%	Hazard
Dichlorodifluoromethane	75-71-8	100	OSHA PEL 1000ppm ACGIH TLV 1000ppm Inhalation: LC50 26,200 ppm/4hr. Oral ALD: >3725 mg/kg in rats

IV - HEALTH HAZARD DATA

Effects of Overexposure

INHALATION: Major potential rout of exposure. Minimal effects observed below 1000 ppm. Dizziness, drowsiness, and throat irritation possible at levels above 1,000 ppm. Unconsciousness and death at levels above 10,000 ppm. Blood pressure depression, cardiac sensitization, and ventricular arrhythmia can result from exposure to near-anesthetic levels.

EYES: Liquid can cause slight, temporary irritation with slight temporary corneal injury. Vapors can irritate eyes.

SKIN: Prolonged or repeated contact with liquid can cause freezing of skin tissues, defatting, and dermatitis.

INGESTION: Single dose toxicity is low to moderate. If vomiting occurs the liquid can be aspirated into the lungs, which can cause chemical pneumonia and systemic effects. Human psychotropic, gastrointestinal, and central nervous system effects possible.

Emergency and First Aid Procedures

INHALATION: Remove to fresh air. If breathing has stopped, administer artificial respiration. Seek medical attention.

EYES: Flush eyes for at least fifteen minutes with clear water. If irritation persists, seek medical attention.

SKIN: Wash with soap and water. For frostbite, seek immediate medical attention.

VI - SPILL OR LEAK PROCEDURES

Evacuate area. Ventilate area well and avoid breathing vapors. Vapor concentration will be highest along floor and in low lying areas. Pick up liquid on suitable absorbent and store in sealed containers.

VII - WASTE DISPOSAL METHODS

Material may be disposed of by a licensed reclaimer or incineration facility. Consult local, state, and federal disposal authorities for approved procedures.

Do not incinerate or destroy aerosol cans.

VIII - EMPLOYEE PROTECTION

Respiratory Protection:
Use NIOSH approved organic vapor mask.

Ventilation: Do not use in closed space. Ventilation required.

Hands: Solvent resistant gloves such as Viton, Polyvinyl alcohol.

Eyes: Wear splash proof safety goggles or glasses.

Special Precautions:
Keep aerosol cans in cool place out of direct sunlight. Keep this and all chemicals out of reach of children. This product for industrial use only.

IX - OTHER INFORMATION